Kodak alaris

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK T-MAX RS Developer and Replenisher, Part A

Product code: 8446163 - Part A

Synonyms: PCD 5492

Relevant identified uses of the substance or mixture and uses advised against: Identified uses: photographic processing chemical (developer/activator). For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email EHS-Questions@Kodakalaris.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

| Hazard class | Hazard category | Route of exposure |
|--|---------------------------|-------------------|
| Skin corrosion/irritation Serious eye damage/eye irritation | Category 2 Category 2A | |
| Skin sensitisation | Category 1 | |
| Target Organ Systemic Toxicant - Single exposure | Category 1 | |
| Target Organ Systemic Toxicant - Single exposure | Category 2 | |
| Target Organ Systemic Toxicant - Repeated exposure | Category 1 | |

GHS-Labelling

Contains:

Diethanolamine (111-42-2), Sulphur dioxide (7446-09-5), Hydroquinone (123-31-9), Sodium bisulphite (7631-90-5), 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone (13047-13-7)

Symbol(s):

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 2/13



Signal word: Danger

Hazard statements: Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Causes damage to organs. (Respiratory system.) May cause damage to organs. (Kidney, Liver, Blood, Testes.) May cause damage to organs through prolonged or repeated exposure. (Respiratory system.)

Precautionary statements:

Prevention: Wear protective gloves/ eye protection/ face protection. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

Response: IF exposed or concerned: Call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS III Hazard Ratings: Health - 2*, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 3, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight Components - (CAS-No.) percent

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 3/13

| 30 - 35 | Diethanolamine (111-42-2) |
|-----------|---|
| 15 - 20 | Sulphur dioxide (7446-09-5) |
| 1 - 5 | Hydroquinone (123-31-9) |
| 1 - 5 | Sodium bisulphite (7631-90-5) |
| 0.1 - < 1 | 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone (13047-13-7) |

4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/ attention if you feel unwell.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture Hazardous Combustion Products: Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, (see also Hazardous Decomposition Products sections.)

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 4/13

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Environmental precautions: No information available.

7. Handling and storage

Precautions for safe handling

Personal precautions: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

| Chemical Name | Regulatory List | Value Type | Value |
|-------------------|--------------------|--|----------------------------|
| Diethanolamine | ACGIH | time weighted average Form of exposure: inhal Skin - potential significant contribution to o | |
| | | | cutaneous route |
| Sulphur dioxide | OSHA | Short term exposure limit time weighted average | 0.25 ppm 5 ppm 13 mg/m3 |
| Hydroquinone | ACGIH OSHA | time weighted average time weighted average | 1 mg/m3 2 mg/m3 |
| Sodium bisulphite | ACGIH | time weighted average | 5 mg/m3 |

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye protection: Wear eye/face protection.

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 5/13

Hand protection: Wear impervious gloves and protective clothing appropriate for the risk of exposure.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: organic vapour. A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: acid gas If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

| Physical form: liquid | | | |
|--|--|--|--|
| Colour: tan | | | |
| Odour: amine | | | |
| Specific gravity: 1.21 | | | |
| Vapour pressure (at 20.0 °C (68.0 °F)): 24 mbar (18.0 mm Hg) | | | |
| Vapour density: 0.6 | | | |
| Boiling point/boiling range: > 100 °C (> 212.0 °F) | | | |
| Water solubility: complete | | | |
| pH: 8.9 | | | |
| Flash point: does not flash | | | |
| Evaporation rate: No data available | | | |
| Flammability (Solid; gas): No data available | | | |
| Upper explosion limit: No data available | | | |
| Lower explosion limit: No data available | | | |
| Partition coefficient: n-octanol/water: No data available | | | |
| Auto-ignition temperature: No data available | | | |
| Decomposition temperature: No data available | | | |

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 6/13

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Strong oxidizing agents, Acids. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides, Nitrogen oxides (NOx)

11. Toxicological information

Effects of Exposure

General advice:

Contains: Diethanolamine. Based on animal data, may cause adverse effects on the following organs/systems: kidney, liver, blood, nervous system, testes.

Contains: Hydroquinone. There is insufficient evidence for classifying hydroquinone as a suspected carcinogenic or mutagenic substance in humans. No increases in cancer rates were observed in an epidemiology study which looked at mortality among more than 800 persons employed primarily in the manufacture of hydroquinone. Carcinogenicity studies in animals were inconclusive. Rats and mice were given hydroquinone by stomach tube or at high concentrations in the diet. Responses were not consistent across route of exposure, species or sex. The International Agency for Research on Cancer (IARC) has classified hydroquinone in Group 3, i.e., "not classifiable" as a carcinogen. Hydroquinone is generally negative in bacterial mutagenicity tests; there is evidence for the clastogenicity (chromosome breakage) of hydroquinone in vivo and in vitro. The relevance of chromosomal effects in test animals in predicting human risk is unclear.

Contains: 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone. May cause adverse

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 7/13

reproductive effects such as infertility based on animal data. Based on repeated-dose ingestion studies in animals, this chemical may cause blood, testicular, and adverse reproductive effects.

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: Causes serious eye irritation.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Expected to be a low ingestion hazard. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Diethanolamine (CAS 111-42-2):

Acute Toxicity Data:

Oral LD50 (rat): 1,410 mg/kg

- Dermal LD50 (rabbit): 12,983.88 mg/kg
- Skin irritation: strong
- Eye irritation: Corrosive

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowestobserved-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Inhalation (, dog): NOAEL; 0.6 ppm
- Inhalation (30-day, guinea pig): NOAEL; 0.6 ppm
- Feeding study (, male rat): Lowest observable effect level; 0.01 % in diet (target organ effects: liver)
- Feeding study (30-day, male rat): Lowest observable effect level; 0.1 % in diet
- Inhalation (, male rat): NOEL; 0.6 ppm

Data for Hydroquinone (CAS 123-31-9):

Acute Toxicity Data:

Oral LD50 (male rat): 400 mg/kg

- Oral LD50 (male mouse): 100 200 mg/kg
- Dermal LD50 (guinea pig): > 1,000 mg/kg
- Dermal absorption rate: 1.1 micrograms (s) / cm 2 / hour
- Skin irritation: slight
- Skin Sensitization (guinea pig): positive
- Eye irritation: moderate

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 8/13

Mutagenicity/Genotoxicity Data:

- Salmonella typhimurium assay (Ames test): negative (in presence and absence of activation)
- Chromosomal aberration assay: negative (in absence of activation)
- Chromosomal aberration assay: positive (in presence of activation)
- Sister chromatid exchange (SCE) assay: positive (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowestobserved-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Dermal (17-day, rat): NOEL; 3800 mg/kg/day
- Dermal (17-day): Lowest observable effect level; 4800 mg/kg/day

Developmental Toxicity Data:

- Oral (female rabbit): NOEL for developmental toxicity; 25mg/kg/day
- Oral (female rat): NOAEL for developmental toxicity; mg/kg/day

Data for Sodium bisulphite (CAS 7631-90-5):

Acute Toxicity Data:

Oral LD50 (rat): > 1,600 mg/kg

- Dermal LD50 (rat): 2,000 mg/kg
- Eye irritation (May irritate eyes.): mild

Data for 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone (CAS 13047-13-7):

Acute Toxicity Data:

Oral LD50 (rat): 566 mg/kg

- Dermal LD50: > 1,000 mg/kg
- Skin irritation: slight
- Skin irritation: slight exacerbation (repeated skin application)
- Skin Sensitization: slight
- Eye irritation (unwashed eyes): strong
- Eye irritation (washed eyes): slight to moderate

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowestobserved-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Oral (12-day, rat): NOEL; 88 mg/kg/day
- Oral (12-day, rat): Lowest observable effect level; 440 mg/kg/day (target organ effects: blood, target organ effects: testes)
- Oral (28-day, rat): NOEL; 10 mg/kg/day

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 9/13

• Oral (28-day, rat): Lowest observable effect level; 40 mg/kg/day (target organ effects: blood, target organ effects: testes)

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): 1 - 10 mg/l

Toxicity to daphnia (EC50): 1 - 10 mg/l

Persistence and degradability: Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

| Regulatory List | Notification status |
|-----------------|---------------------|
| TSCA | All listed |
| DSL | All listed |

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 10/13

| NDSL | None listed |
|--------|-------------|
| EINECS | All listed |
| ELINCS | None listed |
| NLP | None listed |
| AICS | All listed |
| IECS | All listed |
| ENCS | All listed |
| ECI | All listed |
| NZIoC | All listed |
| PICCS | All listed |

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

| American Conference of Governmental Industrial Hygienists (ACGIH): | A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans: Diethanolamine , Hydroquinone |
|--|--|
| International Agency for Research on Cancer (IARC): | Group 2B - Possibly Carcinogenic to Humans: Diethanolamine |
| U.S. National Toxicology Program (NTP): | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| U.S. Occupational Safety and Health Administration (OSHA): | OSHA Carcinogen or Potential Carcinogen: Diethanolamine |
| California Prop. 65 | WARNING! This product contains a chemical known to the State of California to cause cancer. |
| | WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. |
| U.S CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances): | Diethanolamine , Hydroquinone , Sodium bisulphite |

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 11/13

| U.S CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities): | Sulphur dioxide , Hydroquinone |
|---|--|
| U.S CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting): | Diethanolamine, Hydroquinone |
| U.S California - 8 CCR Section 339 - Director's List of Hazardous Substances: | Diethanolamine , Sulphur dioxide , Hydroquinone , Sodium bisulphite |
| U.S California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens: | No components found on the California Specifically Regulated Carcinogens List. |
| U.S California - 8 CCR Section 5203 Carcinogens: | No components found on the California Section 5203 Carcinogens List. |
| U.S California - 8 CCR Section 5209 Carcinogens: | No components found on the California Section 5209 Carcinogens List. |
| U.S Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law): | Diethanolamine , Sulphur dioxide , Hydroquinone , Sodium bisulphite |
| U.S Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances): | Diethanolamine , Sulphur dioxide , Hydroquinone , Sodium bisulphite |
| U.S New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1): | Diethanolamine , Sulphur dioxide , Hydroquinone , Sodium bisulphite |
| U.S Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A): | Water , Diethanolamine , Sulphur dioxide , Hydroquinone , Sodium bisulphite |

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK T-MAX RS Developer and Replenisher, Part A

Contains:

Diethanolamine (111-42-2), Sulphur dioxide (7446-09-5), Hydroquinone (123-31-9), Sodium bisulphite (7631-90-5), 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone (13047-13-7)

Symbol(s):

Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 12/13



Signal word: Danger

Hazard statements: Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Causes damage to organs. (Respiratory system.) May cause damage to organs. (Kidney, Liver, Blood, Testes.) May cause damage to organs through prolonged or repeated exposure. (Respiratory system.)

Precautionary statements:

Prevention: Wear protective gloves/ eye protection/ face protection. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

Response: IF exposed or concerned: Call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If symptomatic, move to fresh air. Get medical attention if symptoms occur. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/ attention if you feel unwell. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Additional Components Include: Water (7732-18-5) Revision Date: 02/07/2014 Z17000000414/Version: 2.1 Print Date: 11/01/2016 Page: 13/13

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-2, S-2, F-1, C-0

Kodak alaris

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK T-MAX RS Developer and Replenisher, Part B

Product code: 8446163 - Part B

Synonyms: PCD 5506

Relevant identified uses of the substance or mixture and uses advised against: Identified uses: photographic processing chemical. For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email EHS-Questions@Kodakalaris.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

| Hazard class | Hazard category | Route of exposure |
|----------------------------------|-----------------|-------------------|
| Acute toxicity | Category 4 | Oral |
| Skin irritation | Category 2 | |
| Serious eye damage | Category 1 | |
| Specific target organ toxicity - | Category 2 | |
| repeated exposure | | |

GHS-Labelling

Contains: Diethylene glycol (111-46-6), Acetic acid (64-19-7)

Symbol(s):



Revision Date: 05/28/2015 Z17000000416/Version: 3.0 Print Date: 11/01/2016 Page: 2/11

Signal word: Danger

Hazard statements: Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure. (Kidney.)

Precautionary statements:

Prevention: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ eye protection/ face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (see supplemental first aid instructions on this label). If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Get medical advice/ attention if you feel unwell.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS III Hazard Ratings: Health - 3*, Flammability - 1, Physical Hazard - 1

NFPA Hazard Ratings: Health - 3, Flammability - 1, Instability - 1

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

| Weight percent | Components - (CAS-No.) |
|-------------------|--|
| 90 - 99 | Diethylene glycol (111-46-6) |
| 1 - 5 | Acetic acid (64-19-7) |
| 0.1 - < 1 | 1,4-diphenyl-3-(phenylammonio)-1H-1,2,4-triazolium (2218-94-2) |

4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

Eyes: Immediately flush the contaminated eye(s) with water for at least 60 minutes, while holding the eyelid(s) open. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens.

Revision Date: 05/28/2015 Z17000000416/Version: 3.0 Print Date: 11/01/2016 Page: 3/11

Neutral saline solution may be used as soon as it is available. DO NOT INTERRUPT FLUSHING. Contact a physician or poison control center immediately. Continue flushing the eye(s) until the physician advises to stop. If necessary, continue flushing during transport to an emergency care facility.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

Ingestion: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. Rinse mouth.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Water spray, Carbon dioxide (CO2), Dry chemical, Alcohol-resistant foam.

Special hazards arising from the substance or mixture Hazardous Combustion Products: Carbon oxides

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: Forms peroxides of unknown stability.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: If peroxide formation is suspected, do not open or move container. Minimize exposure to air. After opening, purge container with nitrogen before reclosing. Periodically test for peroxide formation on long-term storage. Do not distill or allow to evaporate to near dryness. Keep away from heat and flame. Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Prevent runoff from entering drains, sewers, or streams.

Environmental precautions: No information available.

7. Handling and storage

Revision Date: 05/28/2015 Z17000000416/Version: 3.0 Print Date: 11/01/2016 Page: 4/11

Precautions for safe handling

Personal precautions: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials. If peroxide formation is suspected, do not open or move container. Minimize exposure to air. After opening, purge container with nitrogen before reclosing. Periodically test for peroxide formation on long-term storage. Do not distill or allow to evaporate to near dryness. Keep material from heat, light, and flame.

Conditions for safe storage, including any incompatibilities: Protect against light. Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

| Chemical Name | Regulatory List | Value Type | Value |
|---------------|--------------------|---------------------------|-----------------|
| Acetic acid | ACGIH | Time weighted average | 10 ppm |
| Acetic acid | | Short term exposure limit | 15 ppm |
| | OSHA | Time weighted average | 10 ppm 25 mg/m3 |
| | ACGIH | Time weighted average | 10 ppm |
| | | Short term exposure limit | 15 ppm |
| | OSHA | Time weighted average | 10 ppm 25 mg/m3 |

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye protection: Wear vapour-tight chemical goggles and a face shield.

Hand protection: Wear protective gloves/ protective clothing.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Revision Date: 05/28/2015 Z17000000416/Version: 3.0 Print Date: 11/01/2016 Page: 5/11

Physical form: liquid Colour: amber Odour: vinegar Specific gravity: 1.12 Vapour pressure (at 20.0 °C (68.0 °F)): 24 mbar (18.0 mm Hg) Vapour density: 0.6 **Boiling point/boiling range:** > 100 °C (> 212.0 °F) Water solubility: complete **pH:** No data available Flash point: > 93.33 °C (> 200.0 °F) Evaporation rate: No data available Flammability (Solid; gas): No data available Upper explosion limit: No data available Lower explosion limit: No data available Partition coefficient: n-octanol/water: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: No data available Explosive properties: No data available Oxidizing properties: No data available **10. Stability and reactivity**

Reactivity: No data available

Revision Date: 05/28/2015 Z17000000416/Version: 3.0 Print Date: 11/01/2016 Page: 6/11

Chemical stability: Stable; however, forms peroxides of unknown stability.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: None under normal conditions of use.

11. Toxicological information

Effects of Exposure

Inhalation: Airborne dust/mist/vapor may be irritating.

Eyes: Causes serious eye damage.

Skin: Causes skin irritation.

Ingestion: Harmful if swallowed.

Data for Diethylene glycol (CAS 111-46-6):

Acute Toxicity Data:

Oral LD50 (Rat): 12,565 mg/kg

- Oral LD50 Oral (Humans): 1,120 mg/kg
- Inhalation LC50 (Rat): > 5.08 mg/l / 4 hr
- Dermal LD50 (Rabbit): 11,890 mg/kg
- Skin irritation: slight to moderate
- Eye irritation: mild

Mutagenicity/Genotoxicity Data:

• Ames test: negative (in presence and absence of activation)

Data for Acetic acid (CAS 64-19-7):

Acute Toxicity Data:

Oral LD50 (Rat): 3,320 mg/kg

- Oral LD50 (Rat): 3,310 mg/kg
- Inhalation LC50 (Rat): 11.4 mg/l / 4 hr
- Dermal LD50 (Rabbit): 1,060 mg/kg
- Skin irritation: severe
- Eye irritation (washed eyes): severe

Revision Date: 05/28/2015 Z17000000416/Version: 3.0 Print Date: 11/01/2016 Page: 7/11

• Eye irritation (unwashed eyes): severe

Data for 1,4-diphenyl-3-(phenylammonio)-1H-1,2,4-triazolium (CAS 2218-94-2):

Acute Toxicity Data:

Oral LD50 (Rat): 50 - 400 mg/kg

- Dermal LD50 (Guinea pig): > 2,200 mg/kg
- Skin irritation: very slight

Carcinogenicity

| American Conference of Governmental Industrial Hygienists (ACGIH): | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |
|---|---|
| International Agency for Research on Cancer (IARC): | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| U.S. National Toxicology Program (NTP): | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| U.S. Occupational Safety and Health Administration (OSHA): | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| California Prop. 65 | This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. |

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): > 100 mg/l

Toxicity to daphnia (EC50): > 100 mg/l

Revision Date: 05/28/2015 Z1700000416/Version: 3.0 Print Date: 11/01/2016 Page: 8/11

| Toxicity to algae (IC50): | > 100 mg/l |
|-------------------------------------|-----------------------|
| Toxicity to other organisms (EC50): | > 100 mg/l |
| Persistence and degradability: | Readily biodegradable |
| Chemical Oxygen Demand (COD): | ca. 1731 g/l |
| Biochemical Oxygen Demand (BOD): | ca. 206 g/l |
| Bioaccumulative potential | |

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

| Regulatory List | Notification status |
|-----------------|---------------------|
| TSCA | All listed |
| DSL | All listed |
| NDSL | None listed |
| EINECS | All listed |
| ELINCS | None listed |
| | |

Revision Date: 05/28/2015 Z1700000416/Version: 3.0 Print Date: 11/01/2016 Page: 9/11

| NLP | None listed |
|-------|----------------|
| AICS | All listed |
| IECS | All listed |
| ENCS | Not all listed |
| ECI | All listed |
| NZIoC | All listed |
| PICCS | Not all listed |

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

| U.S CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances): | Acetic acid |
|---|--|
| U.S CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities): | No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements. |
| U.S CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting): | No components of this product are subject to the SARA Section 313 (40 CFR 372.65) reporting requirements. |
| U.S California - 8 CCR Section 339 - Director's List of Hazardous Substances: | Acetic acid |
| U.S California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens: | No components found on the California Specifically Regulated Carcinogens List. |
| U.S California - 8 CCR Section 5203 Carcinogens: | No components found on the California Section 5203 Carcinogens List. |
| U.S California - 8 CCR Section 5209 Carcinogens: | No components found on the California Section 5209 Carcinogens List. |
| U.S Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law): | Acetic acid |
| U.S Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances): | Diethylene glycol, Acetic acid |

Revision Date: 05/28/2015 Z1700000416/Version: 3.0 Print Date: 11/01/2016 Page: 10/11

| U.S New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1): | Acetic acid |
|--|--------------------------------|
| U.S Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A): | Diethylene glycol, Acetic acid |

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK T-MAX RS Developer and Replenisher, Part B

Contains:

Diethylene glycol (111-46-6), Acetic acid (64-19-7)

Symbol(s):



Signal word: Danger

Hazard statements: Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure. (Kidney.)

Precautionary statements:

Prevention: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ eye protection/ face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (see supplemental first aid instructions on this label). If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Get medical advice/ attention if you feel unwell.

Revision Date: 05/28/2015 Z1700000416/Version: 3.0 Print Date: 11/01/2016 Page: 11/11

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If symptomatic, move to fresh air. Get medical attention if symptoms occur. Immediately flush the contaminated eye(s) with water for at least 60 minutes, while holding the eyelid(s) open. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Neutral saline solution may be used as soon as it is available. DO NOT INTERRUPT FLUSHING. Contact a physician or poison control center immediately. Continue flushing the eye(s) until the physician advises to stop. If necessary, continue flushing during transport to an emergency care facility. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes. If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. Rinse mouth. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. IN CASE OF FIRE: Water spray, Carbon dioxide (CO2), Dry chemical, Alcohol-resistant foam. IN CASE OF SPILL: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Prevent runoff from entering drains, sewers, or streams.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-2, S-3, F-1, C-1E