## MATERIAL SAFETY DATA SHEET

				RIAL SAF	ETY I	DATA SHE	EET				
SECTION 1 - PRO											
PRODUCT IDENTIFIER :		FREE GLA	AZE	1465 LIG	HT CI	ELADON		PRODU	CT IDE	NTIFI	CATION NUMBER 14
PRODUCT USE : CERAMIC											
MANUFACTURER'S NAME SPECTRUM GLAZES II					SUPPLIER'S NAME SPECTRUM GLAZES INC.						
STREET ADDRESS: 273 BOWES RD, UNIT A1					STREET ADDRESS: 273 BOWES RD, UNIT A1						
CITY: CONCORD PROVINCE:		: ONTARIO			CITY: CONCORD			PROVINC			: ONTARIO
POSTAL CODE: L4K1H	8 EMERGENCY T	EL(905)	695	5-8355	POS	STAL CO	DE: L4	к1н8 ег	MERGEN	ICY T	EL(905)695-835
SECTION 2 - HAZARDOU	S INGREDIENTS	T	ı			_				-	
HAZARDOUS INGR	HAZARDOUS INGREDIENTS			CAS NUMB		LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROUT			E)	LC50 OF INGREDI (SPECIFY SPECIE	
SiO2	102		14808-6		0-7	ILV 15mg/m3 OSHA/TWA					
K20		4-6	12136-4		5-7						
CaO		6-8	1305-78		-8						
Na2O		3-5	1313-59		-3						
A1203		12-16	12-16 13		1344-28-1						
B203		1-2		1303-86	-2						
BaO		0.5-1		1304-28-	-5						
Mg0		0.5-1		1309-48	-4						
ZnO		1-3		1314-13	-2						
CERAMIC STAIN - BLUE	CERAMIC STAIN - BLUE		0.5-1		68186-95-8						
SECTION 3 - PHYSICAL	DATA										
PHYSICAL STATE LIQUID	ODOUR AND APP										
VAPOUR PRESSURE (mm Hg) N.A.	VAPOUR DENSITY (AIR=1)			EVAPORATION RATE			BOILING POINT(C) N.A.			FREEZING POINT(C) N.A.	
рн 6.5-7	SPECIFIC GRAVITY 1.6-2.0			COEFF. WATER/OIL DIST. N.A.							
SECTION 4 - FIRE	AND EXPLOSION D	ATA									
FLAMMABILITY YES NO	) X FLAMES U	NDER WHI	ICH	CONDITIO	NS :	THIS PF	RODUCT 1	DOES NO	r suppo	ORT C	OMBUSTION
MEANS OF EXTINCTION N	NO SPECIAL MEAN	S REQUIF	RED								
FLASHPOINT AND METHOD NONE											MMABLE LIMIT
AUTOIGNITION TEMP.(C) N.A.			HAZARDOUS COMBUSTION PRODUCTS NONE								
EXPLOSION DATA N.A.	SENSITIVITY	IMPACT N	N.A.		AC'	TIVITY :	TO STAT	IC DISC	HARGE I	N.A.	
		S	ECTI	ION 5 - F	EACT	IVITY D	ATA				
CHEMICAL STABILITY YES X NO IF NO,	UNDER WHICH C	ONDITION	1S								
INCOMPATIBILITY WITH YES NO X IF SO											
REACTIVITY AND UNDER	WHAT CONDITION	S: NO RE	EACT	'IVITY							

HAZARDOUS DECOMPOSITION PRODUCT: MATERIAL IS STABLE, NO POLYMERIZATION BUT TOXIC FUMES MAY BE RELEASED WHEN

PRODUCT IDENTIFIER SPECTRUM LEAD FREE 1465 LIGHT CELADON SECTION 6 - TOXICOLOGICAL PROPERTIES ROUTE OF ENTRY SKIN CONTACT SKIN ABSORPTION X EYE CONTACT X INHALATION INGESTION X EFFECTS OF ACUTE EXPOSURE TO PRODUCT: SKIN IRRITATION DUE TO ABRASIVENESS. EYE EXPOSURE COULD CAUSE IRRITATION BUT NO TOXIC EFFECTS. EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: METAL FUMES IN THE VAPOURS FROM FIRING CERAMIC GLAZES MAY CAUSE LUNG INFLAMATION AND DAMAGE TO KIDNEY AND NERVOUS SYSTEM. IRRITANCY OF PRODUCT SENSITIZATION TO PRODUCT EXPOSURE LIMITS CARCINOGENICITY TERATOGENCITY REPRODUCTIVE TOXICITY MUTAGENICITY SYNERGISTIC PRODUCTS SECTION 7 - PREVENTIVE MEASURES PERSONAL PROTECTIVE EQUIPMENT: GLOVES (SPECIFY) EYE (SPECIFY) RESPIRATOR (SPECIFY) WORK GLOVES APPROVED DUST MASK SAFETY GLASSES FOOTWEAR (SPECIFY) CLOTHING (SPECIFY) OTHER (SPECIFY) ENGINEERING CONTROLS (SPECIFY, EG. VENTILATION, ENCLOSED PROCESS) VENTILATION SHOULD BE USED WHEN SPRAYING GLAZES. LEAK AND SPILL PROCEDURE: SCOOP INTO SUITABLE RECEPTACLE. DO NOT WASH DOWN DRAIN. WASTE DISPOSAL: SEND TO APPROVED SITE IN ACCORDANCE WITH REGULATIONS. HANDLING PROCEDURES AND EQUIPMENT: NO SPECIAL EQUIPEMENT NEEDED. FOLLOW STANDARD PLANT HYGIENE PROCEDURE. STORAGE REQUIREMENTS: STORE IN DRY AREAS. SPECIAL SHIPPING INFORMATION: PROTECT AGAINST PHYSICAL DAMAGE. DOT LABEL NON-REGULATED SECTION 8 - FIRST AID MEASURES SPECIFIC MEASURES: GLAZE CONTAINS THE OXIDES LISTED IN THE CHEMICAL FORMULA IN FORM OF CERAMIC FRIT. SOME OF THESE OXIDES ARE ON THE INGREDIENT DISCLOSURE LIST, ONCE THESE OXIDES ARE FUSED AND CONVERTED INTO FRIT THEY ARE NO LONGER AVAILABLE IN TOXIC FORM EVEN THOUGH TESTING WOULD DETECT THE PRESENCE OF THESE OXIDES. (FRIT IS ESSENTIALLY AN INSOLUBLE SUBSTANCE). THE OXIDES ARE PRESENT IN THE FORM OF A SINTERED CERAMIC STAIN OF LOW SOLUBILITY. THESE INGREDIENTS ARE PRESENT IN A STABLE AQUEOUS SUSPENSION. SECTION 9 - PREPARATION DATE OF MSDS PREPARED BY PHONE NUMBER: DATE (GROUP, DEPARTMENT, ETC.) (905) 695-8355 1 OCTOBER 2015 TECHNICAL DEPT.